



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.



NOTICES FROM THE LICK OBSERVATORY.*

PREPARED BY MEMBERS OF THE STAFF.

DISCOVERY OF A SIXTH SATELLITE TO *JUPITER*.

Part of the programme of work decided upon several years ago for the Crossley reflector when its new mounting should be completed consisted of a search for new satellites about the outer planets.

The first photograph of the region about *Jupiter* was obtained on December 3d and others on the 8th, 9th, and 10th. A comparison of these negatives showed an object of the fourteenth magnitude which was moving with an apparent velocity among the stars not very different from that of *Jupiter*. *Jupiter* was retrograding slowly at that time. The suspected object was to the westward and moving a little faster than the planet. From so short an interval, however, it was not possible to decide whether the object belonged to *Jupiter* or was an asteroid so situated as to be moving with nearly the same apparent speed as the planet.

Observations were secured again on January 2d, 3d, and 4th, which showed the object to be following *Jupiter* in such a way as to indicate its dependence upon that body.

While the observations are not sufficient to determine an accurate orbit of the new body, they are at a favorable part of the orbit for testing its motion about *Jupiter*. A calculation shows that its apparent motion about *Jupiter* during the interval covered by the observations is approximately that which a satellite should have at that distance from *Jupiter*.

Its greatest elongation distance (west) appears to have been about 50', and to have been passed about December 25th. The plane of its orbit seems to be inclined to the ecliptic at an angle somewhat greater than is the orbit-plane of the inner

* Lick Astronomical Department of the University of California.

satellites. It is apparently moving in the *opposite direction* from the other satellites. Whether this retrograde motion is real or only apparent cannot be told until more observations have been obtained.

Assuming its orbit to be nearly circular, its period of revolution would be about six months. Its real distance from the planet is approximately six million miles, or about five times that of the fourth satellite.

The sixth satellite has been estimated to be of the fourteenth photographic magnitude. Visually, it is probably from one half a magnitude to a magnitude brighter, or about the same brightness as BARNARD'S fifth satellite.

As soon as sufficient observations have accumulated its orbit will be determined. It is now moving toward the planet about 1' per day.

The last observation was obtained on January 28th.

January 30, 1905.

C. D. PERRINE.

VISUAL OBSERVATION OF SATELLITE VI TO *JUPITER*.

Last Saturday night, January 28, 1905, the first opportunity presented itself to me to look for PERRINE'S satellite to *Jupiter* with the 36-inch refractor. As the telescope had been at the disposal of the regular Saturday-night visitors earlier in the evening, the planet was already low in the sky. The atmospheric conditions also were unfavorable, though the sky was clear. The satellite was picked up easily at the first trial from the position predicted by the Crossley photographs on preceding nights, and in a few minutes' time the motion in Right Ascension made the identification certain.

The satellite was followed for nearly an hour, and the extreme settings showed an hourly motion in Right Ascension of about $+20''$, which is in good agreement with the photographic results. No attempt was made to secure an absolute position, as this can be better obtained from the photographic plates.

The bad seeing made magnitude estimates very uncertain, but, from the appearance of faint stars of known brightness, I would say that the satellite is about equal to a fourteenth-magnitude star.

So far as I know, this is the first time the satellite has been